

## PROGRAM SELECTOR AND GUIDE SYSTEM AND METHOD

### Related Application

This application claims priority under 35 USC §§ 119 and 120 of U.S. Patent Application Serial No. 60/258,115, filed December 22, 2000 and entitled "Program Selector and Guide in Personal Mobile Appliance".

### 5 Field of the Invention

This invention relates generally to the field of handheld portable devices, and in particular to the use of such devices to enhance interactive program selection by integrating interactive dynamic media directory (e.g., electronic program guide or EPG) and device control (e.g., remote control) functionality into such devices.

### 10 Background of the Invention

Though modern consumers have an increasing range of media choices – typically tens or hundreds of TV program, movie, and music choices – the current generation of equipment and control makes it increasingly difficult to manage them. Most consumer media devices require users either to enter numeric codes to make choices, or to “surf” sequentially through unwanted choices until they find what they want. To enjoy a particular TV program like “The Sopranos”, a user typically must recall or refer to a program schedule and enter a channel number into a TV remote control. The same user, with a multi-CD player holding hundreds of CDs, may never need to handle a CD again – but to access “Beat It” on the “Thriller” CD, that user may have to refer to a written list of those hundreds of CDs and songs and enter Disk#4, Track #5 into a different remote control. The alternative to such numeric control is to surf sequentially through items in a non-optimal order – such as the channel lineup order of a cable TV provider, or the sequence in which CDs and DVDs have been loaded into a multi-disc player.

Such awkward interfaces, large and growing numbers of choices, and limited displays combine to make program selection difficult. As new devices offer consumers more

entertainment program choices in a variety of media formats (from channels of cable, satellite and over-the-air broadcast television, to large collections of movies on VHS tapes and DVD discs, and songs on radio, CD, and MP3 players, and the growing availability of on-demand and Internet programming and related information), it is becoming even more difficult to manage these ever-increasing program choices with the simple numeric, channel- and surfing-based interfaces found on today's remote control devices.

In the same consumer media context, the growing number of remote control devices, one for each media playback component, makes the media management complexity problem worse. The user may need to find or keep track of separate remote controls for the TV, the cable/satellite box, CD player, radio receiver, DVD player, DVR digital video recorder / player, VCR, camera, and perhaps other devices such as amplifiers. In general, these controls operate at the device level (channel, track, disk number or tuning frequency) rather than by directly offering program title information, since the remote control lacks a display. Moreover, the user must learn and know all the remote controls' interfaces, which may be from different manufacturers and have inconsistent designs. "Universal" remote controls aimed at this problem can enable control of multiple media devices from one handheld device, but often are not a total solution: they lack any content directory display, can not be readily upgraded, and generally remain in one room where they have been configured for one set of devices. They are customized to devices in a home or room, not to an individual's media content preferences. Portable and cellular telephones constitute yet another device to carry, find, or lose, with their own numeric interfaces and directories.

Each cable or satellite TV service and broadcast region has its own channel lineup and directory of currently available programs. Cable, satellite, and digital video recording providers typically offer one or more electronic program guides (or EPGs) for reviewing choices. These generally use the TV screen to display current and upcoming program choices. Typically cable TV systems dedicate a video channel to offer a static, scrolling directory that shows just a few choices at a time. Such a guide may require users to wait for several frustrating minutes to learn what is available on a particular channel, as they passively view fragments of the list of choices

in a sequence and timing dictated by the cable TV provider. On some digital TV systems, interactive versions of these EPGs run on a tuning device near the television known as a set-top box, using data provided through the cable or satellite TV service, that let the user control some elements of the guide such as scrolling. These set-top based EPGs also show the guide on the TV screen, interrupting or partially occluding the program content itself while selections are made using a remote control. While such sharing of valuable screen real estate might make sense for device configuration (performed infrequently and typically while users are not viewing program content), it makes less sense for user interaction with a media directory such as an EPG, which is often while users are watching program content. In groups, a user reviewing the electronic guide for an upcoming or alternative program will interfere with the other viewers' experience of the current program, as well as their own.

Previous efforts to provide electronic guides to television programs include a variety of Electronic Program Guides (EPGs) and Interactive Program Guides (IPGs), for viewing and selecting program choices with a remote control, which communicates with a television or set-top box by sending infrared signals to change channels and select a new program. In these solutions the television screen is used as the guide display, so the guide partly or completely covers the TV screen, degrading or interrupting any other program viewing, particularly for other viewers who may not be operating the guide. Moreover, these on-screen guides have grown more unwieldy as the number of television channels and choices available via cable or satellite has grown from a few to a few hundred channels. Like a paper guide, a typical EPG requires the user to enter a 2-digit or 3-digit channel number to enact a viewing choice. In contrast, some IPGs allow the user to make a choice by instead navigating an on-screen cursor to the selection using 2 or 4 direction buttons (Up and Down and optionally Left and Right) followed by a Select key, but this can still require 3 or more button presses even after the name of a desired choice appears on the screen.

Some advanced interactive EPGs let users search for programs by category or by name, although entering text using the buttons on a remote control can be difficult and time consuming. Moreover, users typically view or search through a static EPG which, though often configurable

to display a desired subset of the directory, does not typically take into account the user's past behavior. For example, if a user frequently watches a particular episodic program, few, if any, EPGs would automatically display that program more prominently (e.g., highlighted or moved to the top of a list as its scheduled viewing time approaches) to reflect the fact that the user is more likely to select that program and that selecting it could be made easier.

What is needed is a handheld device that integrates the functionality of a remote control (i.e., an infrared and/or RF emitter) with the intelligence to enable users to navigate a dynamically interactive directory of program content across a variety of media types, utilizing its own display real estate to avoid interfering with the user's viewing experience.

The economics of an intelligent remote control present another problem. The high cost of a display transforms many such devices (such as the "Pronto" highly-customizable touchscreen universal remote from Philips/Marantz) into expensive niche products. A solution to this problem, however, lies in the recognition that many consumers already own a handheld remote-capable device (i.e., one with an IR emitter), albeit from other markets including organizers (such as the highly successful Palm PDA) and cellular telephones (e.g., from Nokia). Millions of users have begun to adopt mobile handheld devices that support connections to the Internet or telephone network. These include cellular telephones, and electronic organizers known as PDAs (Personal Digital Assistants) that support functions such as calendar and schedule, phone and address book, notes, and to-do lists. More functions can be programmed by third parties. Many of these PDAs and phones contain infrared emitters and receivers intended to support IRDA communication between PDAs, such as exchange of business cards or software. Some devices can be fitted with additional hardware for wireless communications and other functionality.

Thus, by adapting existing mobile handheld devices (PDAs, cellular telephones, or other devices with built-in or add-on IR emitters), one could leverage a large existing user base to springboard the market for highly intelligent remote control devices capable of displaying and updating interactive personalized dynamic media directories to facilitate users' selection of program content across a variety of media types. Such devices often already support one or more direct/indirect methods of connecting to personal computers, the telephone network and/or the

Internet, including the ability to exchange and synchronize information between the handheld device and external databases. For example, the Palm PDA supports both a multi-conductor electronic cradle and IRDA networking for connection to a personal computer, providing access to the computer's RAM and disk memory as well as its Internet connectivity. Users can  
5 download software and data from the Internet directly or through a personal computer, and software systems can transfer information from the PDA to personal computers and the Internet.

Software such as OmniRemote from Pacific Neo-Tek ([www.pacificneotek.com](http://www.pacificneotek.com)), for example, enables various PDAs with built-in or add-on infrared emitters to function as remote control devices. It does not, however, contemplate the integration of an EPG. Recent inventions of Allport (U.S. patent 6,104,334) and Darbee et. al. (U.S. patent 6,130,726) address these  
10 problems using a separate guide display device that is also a remote control, to be held in the lap or the hand. However, numerous technical, cost, convenience, portability, and learning factors have made these solutions too expensive and difficult for consumers to adopt. These solutions incorporate elements such as specialized base stations and radio transmitters and receivers to  
15 receive updates of guide data. The user or guide service provider must buy a new hardware device designed specifically for this guide and remote control functionality. Manufacturing costs are high due to the relatively low production volumes and specialized nature of the devices.

Independently, programmable handheld electronic devices such as Personal Digital Assistants (PDAs) for contact and calendar information, and cellular telephones, have become  
20 widespread. Elements of PDAs include a variety of methods of network and internet connectivity, a touch sensitive screen display, text entry methods in support of search, power management including rechargeable battery systems, and hardware buttons. An early effort to use a PDA as a remote control, the Eugene Huang's Insight device, required substantial additional hardware to perform its functions. More recently many PDA devices include a  
25 programmable infrared transmitter and receiver, which, while intended for short-range data communication with personal computers and other handheld devices, can also be programmed to send infrared signals that control consumer devices such as televisions.

Handheld computers emit beams of infrared at lower power and narrower angles than entertainment remote controls, and do not always place their infrared port in a convenient location and orientation. This can make user training of the device using another household remote control unreliable. Training under the wrong lighting or battery conditions can result in a controller with a range of just 3 feet from the device, too close for comfort in many leisure environments. The user may also be uncertain how exactly to point the device to control a player device. The handheld display may be upside down, making it hard to read text or view other material, when it is oriented for controlling the player, requiring frequent rotations. The user may be pointing the device slightly out of its operating range.

Television and other entertainment consumption tend to be leisure activities. A key aspect of the remote control is the ability to operate it quickly and make changes instantly, without studying or even looking at the device while pressing a button, and to mute or pause playback instantly when silence is needed, for example when fielding a ringing phone. This is incompatible with typical operation of a PDA, whose touch-sensitive screen is ordinarily operated with a separate pen-like handheld stylus, requiring two hands. Users quickly grow dissatisfied if they have to pull out a stylus to mute the television. Moreover, a culture is emerging in which people carry one or more of these devices with them, seeking to make carrying and access to functions simpler and more mobile by limiting the number of them, for example by incorporating the PDA and cell phone into a single device. It is also possible to generate a pie chart on a PDA which permits a more efficient use of the display of the PDA. A Comparative Analysis of Pie Menu Performance By Jack Callahan, Don Hopkins, Mark Weiser, and Ben Shneiderman. Proc. CHI'88 conference, Washington D.C.

Thus, it is desirable to provide a program selector and guide in a personal mobile assistant that overcomes the above problems and limitations of current systems and it is to this end that the present invention is directed.

Summary of the Invention

The present invention endeavors to solve the problems described above by integrating an interactive dynamic media directory with device control functionality, thereby enhancing a user's ability to interactively select program content via a handheld unit, such as a personal handheld mobile device. The invention contemplates not only custom device embodiments, but also leveraging existing mobile handheld devices such as personal organizers (PDAs) and cellular telephones.

The handheld unit can control other consumer electronic devices (such as televisions, set-top boxes, CD/DVD players, VCRs, digital video recorders, etc) via infrared (IR), radio frequency (RF) or other wired or wireless communication technologies. The unit preferably utilizes its own screen real estate (in addition to optional use of a television or other monitor where appropriate) to display media directories, related content and buttons or other interactive items. It also may include physical keys, dials, and other controls where appropriate. Software and data can be exchanged with the handheld unit via a variety of connectivity methods, including wired cradles connected to personal computers which may be connected to the Internet, as well as various one-way and two-way wireless technologies and protocols (IRDA, RF, 802.11b, Bluetooth, etc). Thus, the unit may exchange data with the Internet directly (via its native Internet connectivity), via a cradle (to an Internet-connected personal computer), as well as via a local or wide area wireless RF connection.

The handheld unit allows a user to review and enact media choices, through wireless control of media-playing devices. The handheld device may present media choices, for example, as text titles, on its display. Connectivity to information that enables content directory choices, such as TV program schedule items or CD music track title directories, is provided through the PDA or phone's native Internet connectivity, such as through a temporary connection to an Internet-connected personal computer or through a local or wide area wireless radio frequency connection.

The system provides uniform interfaces for control and content choices on different playback and communication devices, including audio muting and/or pausing, selection of content from directories, and surfing among elements in a computed list of content items. The system provides ways to use the limited button interfaces of the handheld unit to enable muting and personalized content surfing with one hand, without requiring the unit's stylus or the touch sensitive aspect of its display screen, or requiring the user to look at the screen.

The directories displayed on the handheld unit may present personalized views of media choices based on the user's past choices and other profile elements. The system may use the Internet, personal computers, servers, and aggregated, anonymous, or specific data about other users' choices to present or recommend programs that this user might enjoy. The system may also use the Internet to add data about new devices and content choices such as TV program schedules in other locations, so the mobile device can continue to provide personalized choices and media device control in other locations.

Media directories can be stored on the handheld unit, and can be updated periodically via the unit's various connectivity methods. Such directories can be customized by the user and integrated where desired to personalize the user's experience. They include standard EPG data (widely available from various sources, such as the Tribune Company of Chicago, IL ([www.tribune.com](http://www.tribune.com)), but formatted with a program-driven, rather than channel-driven, focus. These directories also include other media, such as a user's collections of CDs, DVDs, recorded audio and/or video programs, etc. In addition to program titles (e.g., for each song of a CD), other related information (artist, description, reviews, etc) can also be accessed and/or stored (locally or remotely) via the Internet.

These directories are not only interactive (enabling users easily to select a program for immediate or future playback/viewing/recording/reminders/etc), but are also dynamic. The system (whether locally in the handheld unit or via a remote server) can track users' behavior, including the time/frequency of program selection as well as explicit user feedback. Various personalization and collaborative filtering techniques can be employed (locally and/or remotely) to provide program recommendations and otherwise facilitate a user's program selection (e.g., by



prioritizing programs within a directory). In this manner, the display may be as simple as a short list of prioritized text titles, enabling program selection with a single touch of a finger.

Additional information (e.g., program descriptions as well as pre-stored related content) may of course be accessed as well.

5 Yet, the system provides uniform interfaces both for control (e.g., browsing media directories) and program selection across a wide variety of media formats and playback and communications devices. Context-sensitive buttons enable functionality such as muting, pausing, selecting program titles and browsing lists of items (among a host of other functions) to be made available via a consistent uniform interface including ways to surf media choices and perform other common functions with one hand.

10 Not all of the computation and storage need take place at the handheld unit itself. By providing connectivity to local and/or remote personal computers (e.g., Internet servers), the system can also include server software which performs certain tasks, such as collaborative filtering, searching broader collections of programs and related content, and updating media directories and generally exchanging/synchronizing both programs and data. In some  
15 embodiments, users can even maintain their own personalized web pages that can be used to personalize the functionality on their handheld unit, including support for multiple locations (e.g., home, hotel, etc), equipment identification (with remote control codes), as well as various personalized directory/content features.

20 In a typical embodiment, no training of the handheld remote by the user is required. Through means such as menu selection or text entry with completion, a user indicates the brand, model, or other identifying information needed to retrieve appropriate infrared device control code information from a database. Elements of this database may be included with the software in the handheld device or related setup software, and may also be dynamically downloaded and  
25 upgraded through the network connection. Software can rotate the screen image as needed so the EPG directory items remain relatively readable while the handheld unit is pointed to a player, without requiring frequent rotations of the device. Displays on the device can indicate the device control parameters, such as digits it is emitting, to help the user understand its ranges of

operation, keep the unit synchronized with player devices, and troubleshoot. The user can easily perform frequent operations like muting and surfing among choices with one hand, by pressing a hardware button, and without looking at the device, making it highly competitive with traditional remote controls. The device can set the clock of various devices to its internal clock time using infrared clock controls. The system supports:

- easy, one-handed touch operation of common functions with hardware buttons
- dynamic configuration of both hardware and on-screen 'soft' buttons
- installed and/or dynamic online device codes without user training of remote codes
- digit display on handheld
- rotating the screen image to adapt to IR port orientation
- transactions for purchases such as pay per view, streaming, CDs, DVDs, and media players
- dynamic, personalized guide that adapts to user behavior and online data

The present invention provides a solution that can be achieved largely or entirely through software running on existing hardware in PDAs and other handheld devices, re-using native device elements originally intended for other purposes. These include:

- a display screen suitable for reading text, which may include multi-bit screen and anti-aliased text fonts to support higher density and readability
- internet connectivity, whether through standard PDA hardware docking cradle connection to personal computer, modem, wireless 802.11b, Bluetooth, or other connection,
- text entry and search methods,

- touch screen, including support for direct random access to named programs in one touch, without the multiple Up/Down/Left/Right navigation button presses normally required, as known by those skilled in the art in IPGs on TV screens

- gesture screen, letting users make selections in little space by pressing, moving and releasing at the touch screen with finger or stylus

- real-time clock data for software access to the date and time of day

- hardware buttons, especially for frequently used operations that may not require the user to look at the screen, such as audio mute and volume controls,

- power management, for example through batteries or recharging dock.

The benefits to the user and service provider using the system in accordance with the invention include:

- rapid user-directed browsing of a large guide on a screen designed for reading text,

- instant access to programs by touch,

- larger display at lower cost,

- faster learning curve, for example among millions of current users of Palm OS PDAs who know its text entry methods and other operations,

- high portability, to any environment the PDA or phone can go – they are designed to fit in a pocket, and our solution requires no specialized base station tying the device to a single home, room, set-top box or TV, and

- fewer user devices, since our service may run on a user's current a PDA and/or cellular phone.

A typical PDA or cellular phone may include native elements some of which may be repurposed to support the present invention's functionality. The elements that can be repurposed may include (less common elements appear in brackets), for a PDA, network connectivity, [wireless connectivity], the display, a touch screen, text entry capability, an infrared transmitter, an infrared Receiver for training, [TV Control Transmitter], the hardware buttons, power management features and a clock.

For a cellular phone, the repurposed features may include power management features, network connectivity, wireless connectivity, a display, [a touch screen], text entry capabilities, an infrared transmitter, an infrared receiver for training, [a TV Control Transmitter], hardware buttons and a clock.

#### Brief Description of the Drawings

**FIG 1** is a block diagram illustrating an embodiment of a general architecture of the present invention;

**FIG 1a** is a block diagram illustrating a preferred embodiment of the general architecture of the present invention;

**FIG 2** illustrates elements of a program schedule display on the handheld device in one embodiment of the present invention;

**FIG 3** illustrates the system's display on a Palm PDA, including its touch sensitive display and a built-in infrared emitter and sensor, and a row of control buttons;

**FIG 4A** illustrates a portion of a program schedule display on the handheld device in one embodiment of the present invention in which the user is browsing the description of one program while another program remains selected and is being viewed on the user's television;

**FIG 4B** illustrates a portion of a program schedule display on the handheld device in one embodiment of the present invention in which the user is browsing the description of programs;

**FIG 4C** illustrates an example of the user interface of the handheld device in one embodiment of the present invention wherein the handheld device is being used as a remote control;

**FIG 4D** illustrates a guide and user interface in a slightly different embodiment, with frequently used operations like volume control assigned to hardware buttons on a Palm PDA;

**FIG 4E** indicates detail elements in the user interface for figure 4D;

**FIG 5** illustrates a row of general-purpose buttons on the Palm PDA display in one embodiment of the present invention useful in the control of more than one media device;

**FIG 6** is a sample portion of a hierarchical database of entertainment devices and content that can be navigated with one hand from the handheld unit in one embodiment of the present invention; and

**FIG 7** illustrates a portion of a music CD directory offering options to select a CD, purchase a recommended one, dismiss the purchase opportunity, or request additional information.

#### Detailed Description of a Preferred Embodiment

The invention is particularly applicable to a program selector and guide in a personal mobile appliance and it is in this context that the invention will be described. It will be appreciated, however, that the system and method in accordance with the invention has greater utility since it can be implemented using various different technologies. Now, the architecture of the system in accordance with the invention will be described in more detail.

#### System Architecture

The general architecture of one embodiment of the present invention is illustrated in **FIG 1**. As will become apparent, both hardware and software functionality can be allocated among the various components of the system in many different ways. For example, the handheld device

can be a custom device, or can be adapted from an existing device such as a Palm PDA (as is illustrated in the various software embodiments for the Palm PDA described below in greater detail). This decision will, of course, also affect the level of integration of the software in the handheld device. Moreover, much of the software and data of the present invention can be embodied not only in the handheld device, but in a personal computer (PC) or Server System, as illustrated in **FIG 1**. These decisions will be made as the result of various tradeoffs (whether at a system-wide or application level) involving speed, storage capacity, ease of use and other considerations.

As shown in Figure 1, the system 20 may include one or more pieces of hardware including a handheld device 22, such as a personal digital assistant in the preferred embodiment, one or more entertainment devices 24 that may be controlled using the handheld device as described below, and a communications network 26, such as the Internet in a preferred embodiment that interconnects the various elements of the system. The system may further include a personal computer 28 that is connected to both the handheld device and the communications network and a cradle 30 that is connected to the handheld device (periodically as is well known), the personal computer, etc. as shown. The system may further include a server system 32 that is connected to the communications system. The system may further include one or more global/regional entertainment directories 34. In more detail, the handheld device 22 may further include one or more pieces of well known hardware 36, such as the processor, the storage unit, the clock and the like, a display 38, such as a liquid crystal touchscreen in the embodiment using the Palm PDA and one or more controls 40 that permit the user to interact with the handheld device. The handheld device 22 may further include one or more wireless communication devices 41, such as an infrared (IR) port and a wireless RF modem as shown.

The system may also include one or more pieces of software 50 that are executed by the hardware described above. The actual location of the execution of each piece of software is flexible and may be changed depending on the particular embodiment of the system. The system may include one or more pieces of user interface software 52, one or more databases 54 and one

or more software applications/algorithms 56. These different pieces of software will be described in more detail below.

Returning to Figure 1, a typical room or home will include various Entertainment Devices 24 as illustrated in **FIG 1**, including external sources (such as AM/FM radio and broadcast television, whether over-the-air or via cable or satellite, or even from the Internet) as well as internal sources (pre-recorded songs, movies and other audio/video “programs” stored on CDs, DVDs, VCRs, digital video recorders or DVRs, etc). Other information (audio, video, data, control, etc) could be stored (e.g., on a PC or other consumer device, or on a local/Internet server) and made accessible for audio and/or video playback (whether through a standard TV monitor and speakers or other equipment) throughout the home, or even at a remote location.

In one embodiment, these Entertainment Devices are controlled from the Handheld Device 22 via “commands” such as infrared (IR) codes sent from an IR emitter in the Handheld Device. Of course, other communications standards/protocols (e.g., RF) could be used, though IR has become somewhat of a preferred consumer standard. Repeaters could be used to facilitate access to devices not within sufficient physical proximity. The Entertainment Devices could also be controlled manually (or from other sources, such as a PC), though it is desirable for the Handheld Device to be kept aware of the user’s program selections and desires, even if via a later update or synchronization session.

The Handheld Device 22 itself includes sufficient intelligence (processing power, storage, software, etc) to be able to facilitate and implement a user’s program selections “at the touch of a button.” Various tradeoffs may be made regarding the use of physical buttons, sliders and other controls, as opposed to “soft” controls, e.g., on a touchscreen. In one embodiment, the Palm PDA is used to leverage its already wide availability to both users and developers, as well as its built-in large touchscreen, infrared emitter, PC/cradle synchronization mechanism (and, in some cases, wireless Internet access), and programmable physical buttons and soft controls.

In other embodiments, the Handheld Device could exchange information (through a wired connection or wirelessly via various transmission and communications protocols, such as

RF, IR, Bluetooth, 802.11b, etc) with another computer (directly or indirectly through a cradle or other interim device) in the home or on the Internet. Such communication could be asynchronous (e.g., sync on demand by placing the Handheld Device in its cradle, or periodically connecting to the Internet) and/or continuous (e.g., persistent wireless connection directly from the Handheld Device to the Internet).

These various communication scenarios, illustrated in **FIG 1**, enable the Handheld Device 22, in addition to sending commands to Entertainment Devices 24 (e.g., to select or record a program), to update its EPGs and other broadcast program directories, and to exchange information with a PC 28 and/or the Server System 32 – e.g., to download current recommendations, upload recent program selections, and update/synchronize personal preferences, content databases, equipment configuration and control codes. In a typical embodiment, a user could maintain a personalized “My Programming” web site (e.g., on the Server System 32) which tracked information relating, for example, to the user’s equipment/configuration, program subscriptions, content libraries and personal preferences.

If a user, for example, purchased a new CD or subscribed to a new DirecTV channel, the user could enter that fact into the Handheld Device 22 or PC 28 or Server System 32 (e.g., via a well known browser application, such as Netscape Navigator, that has a well known browser interface). The information could be synchronized continuously or asynchronously (e.g., periodically between the PC and the Server System, and upon demand between the PC and the Handheld Device via the cradle), so that the user would not need to enter the information again. If the user purchased the CD or channel through a transaction on the handheld service itself, product information could be transferred to the Handheld Device automatically and making information entry unnecessary in the first place.

Moreover, additional information could be downloaded into the Handheld Device (e.g., from the Internet 26), such as the individual song titles of that CD, along with relevant descriptions or other information. Certain additional information (e.g., the lyrics of each song) could be stored remotely (e.g., on the user’s web site) if storage capacity on the Handheld Device was a concern.



With respect to broadcast television schedules (or other scheduled content, such as Internet radio stations, etc.), the information could be stored on the Internet, whether at the Server System or on a separate site dedicated to that purpose (as illustrated in **FIG 1**). This information could be global in nature, but could easily be regionalized and/or personalized to the user based upon user profile information (e.g., maintained at the Server System). Such regionalization/personalization could be performed remotely (e.g., to reduce the amount of data sent to the user), or could be performed on the user's PC or Handheld Device.

The Software architecture 50 of the present invention is also illustrated in **FIG 1**. In a typical embodiment, certain portions of the software and data are present on the Handheld Device. Such information could determine the functionality and interface 52 (customizable by the user, locally or remotely) for the setup process, for the display of content directories, soft buttons and other controls, as well as for the manner of transmission of device codes and their mapping (individually and in sequence) to particular devices and content. Note that, if more than one user is present in the household, the system could be configured for multiple users (though some mechanism would preferably be present to identify each user while accessing the device – if only a manual selection by the user upon picking up the device).

As discussed in greater detail below, the interface of the Handheld Device is designed generally to simplify the user's task of browsing through program content choices, and selecting them for viewing and/or recording. For example, in one embodiment which relies on the Palm PDA with its built-in IR emitter (which has a narrower range than would a custom remote control device), the interface can be customized to facilitate "one-hand operation" so as to minimize the user's need to look at the display while making selections. For example, having caused the Handheld Device to generate a list of "favorite" songs on a CD, the user might want to browse through that list, hearing each song for a few seconds. By enabling a physical button to perform that browsing function, the user can easily point the device and press that button (whether once for automatic "seeking" of each favorite song in order, or once for each transition to the next favorite song) without having to look back at the screen (as might be necessary, for example, if the user had to touch each song title on the screen).

5 A user might configure the system to prioritize certain program content or types of content for display on the Handheld Device. In addition to this static personalization, the Handheld Device might adjust these priorities dynamically. For example, if the user had a preference for the show, "Seinfeld" (e.g., because the user expressly indicated that preference, or simply watched the show frequently), the Handheld Device software might recognize that an episode of Seinfeld would be broadcast shortly, and move the title of that program toward the top of the list of available programs. Similarly, if a movie (e.g., "Rain Man") were already present in the user's DVD collection, and available at the touch of a button via the user's CD/DVD changer, the Handheld Device might recognize this fact and demote the item to a lower position on the list.

10 As will be illustrated in greater detail below, the interface of the Handheld Device is focused on displaying program content choices for the user, prioritized dynamically in a manner that emphasizes those programs which are most likely to be selected. The software that makes such determination can reside locally on the Handheld Device as well as on the user's PC or, for example, on the Server System. Certain explicit user preferences (e.g., an indication that the user wants to watch Rain Man if it ever is broadcast), might be implemented on the Server System and tagged within the EPG information itself, such that the Handheld Device need merely move such tagged items toward the top of the display. Implicit behavioral information (e.g., noting that the user watches Seinfeld frequently) could also be treated in a similar manner.

20 Moreover, the Handheld Device itself might make certain other decisions dynamically. For example, the user might, for the first time, indicate an explicit preference for the movie, Rain Man, on the Handheld Device (e.g., by entering its title manually or selecting it upon finding it in the current EPG). Once that movie is about to be broadcast, the Handheld Device could then move it toward the top of the list of program content choices displayed for the user. Various algorithms for prioritizing the program content (distinguishing explicit preferences, implicit preferences, recommendations, etc) can be present on the Handheld Device (or a PC) as well as on the Server System, which would of course have access to additional information on the Internet (e.g., for making collaborative recommendations).

As illustrated in **FIG 1**, a variety of information relating specifically to the user and generally to program content and user behavior is stored in various databases 54. These databases can be configured as a single database, or as multiple independent or related databases, and can exist in a central location or be distributed and/or replicated throughout multiple locations. Moreover, certain information may only be stored on the Handheld Device, or on the Server System or the user's PC, while other information may be stored in multiple locations (e.g., the Server System and the Handheld Device, as well as the user's PC).

These databases could include the user's profile information (e.g., name, address, age, etc) and the user's Entertainment Devices and associated device codes, as well as a mapping of device code sequences for accessing specific content or functions. In addition, the user's programming subscription information (e.g., particular DirecTV channel subscriptions) and content libraries (e.g., CDs and DVDs owned by the user, as well as related information obtained, for example, via the Internet, such as song titles and lyrics) could be stored in these databases. Some of this information is relatively static (e.g., user profile information), while other information may be updated frequently (e.g., EPG data).

The Handheld Device, of course, includes client software 56 to manage the functionality and user interface for a variety of tasks including the setup process, the display, navigation and browsing of media directories, the selection of program content, and communication with Entertainment Devices (e.g., emitting sequences of IR commands) and external systems (e.g., the Server System and the user's PC, whether via a cradle or other direct or indirect wired or wireless connection). In the case of a custom device, the Handheld Device would also include an operating system supporting screen management, infrared and other device communications, and a host of other standard "high-end remote control" operating system functions (i.e., a subset of the functionality of the Palm OS).

The Server System (and, perhaps to some extent, the Handheld Device) would include algorithms 56 for prioritizing program content within various media directories, ultimately enabling the Handheld Device to display programs in some prioritized order. Such priorities could be based upon explicit and implicit behavioral user preferences, as described in greater

detail below. In addition, a favorites/recommendation engine could provide the user (e.g., via the user interface of the Handheld Device) with recommended program choices, based not only on the user's individual explicit and implicit preferences, but also on those of other users and related third-party information.

5 As noted above, publicly available EPG data could be formatted, regionalized and personalized for the user (e.g., on the Server System). The Server System could then filter and tag the EPG data it sends to the user (e.g., to the user's PC for synchronization with the Handheld Device), so that the Handheld Device could interpret prioritized tags and display selected programs as higher-priority items.

10 The Server System also could include algorithms 56 to search the Internet for additional information related, for example, to particular program content. For example, if a user purchases a CD, the Server System could search for the related "CD cover" information as well as individual song titles and lyrics. This information could then either be accessed on demand (during an asynchronous or continuous connection) or downloaded to and stored in the Handheld  
15 Device for instant access upon demand.

Many additional embodiments and features of the present invention are described in greater detail below.

#### System Setup

20 Setup and maintenance can be performed on the handheld unit itself, or on a desktop computer or Internet browser or other networked client software with access to the system's online databases. The setup system may ask the user to allow it to connect to and perform synchronization operations with a networked device.

In general, setup interfaces present the user with options and support for:

- Selection from menus
- 25 • Text entry and completion as in other organizer search applications

- Dynamic menus based on personal profile, as well as explicit and implicit behavioral preferences

- Dynamic storage footprint management for handheld unit

System setup may also require payment by the user. Payment may include setup fees, fees for each device or service controlled through the system, and monthly service billing. Free service may be available for a limited time, or indefinitely. The user may be asked to provide a credit card or debit card and secret PIN number or equivalent for authorization. The user may be asked to keep the PIN secret and to provide it when making a pay transaction.

#### Setup: User Provided Profile Information

Profile information can be provided primarily by user selection in menus offering lists of device brands and TV services, or can be entered as text. The following is profile information that may be provided during set-up.

#### Handheld Unit Profile Information:

Model information requested but not required.

Brand not required if user will be training device.

Maps remote control Button identifiers onto corresponding infrared transmissions

#### TV Device Profile Information:

Brand and optional Model

For sending send Power, Volume and other TV function

#### Receiver Device Profile Information:

Brand and optional Model

To send digits 0-9, Enter and other receiver functions.

Receiver may be the tuner built in to the above TV.

Location Profile Information:

City and State

5 Zip Code

Both recommended, neither required.

Limits set of broadcast channels and set of TV service providers

Distinguishes different lineups offered by national cable/satellite providers e.g. different  
AT&T Broadband locales, satellites with different sets of local channels

TV service Profile Information: cable/satellite company and tier

Kind, Provider, Tier

Kind: broadcast, satellite, cable

Provider: broadcast, AT&T Broadband, DirecTV, ...

Tier: analog, expanded basic, digital, ...

15 User Profile Information:

Name or other identifier

Optional, but valuable for personalized settings if there are multiple users of this device

Receiving Device Setup and Maintenance

20 In one embodiment, the handheld device controls a plurality of receiving devices external  
to it, each enabled for some kind of native wireless control. In other embodiments, the handheld

device itself may display the media content directly, such as music through its speakers or video on its own screen. In these cases, some wireless connection and other aspects of the setup process may be unnecessary.

When newly installed, the handheld device's software may include lists of hundreds or thousands of devices to enable selection from menus and automatic text completion. Once service has been established, most of these can be eliminated from the unit's memory, and that storage can be reclaimed for other purposes. The user can also input where necessary information relating to equipment not included in the unit, such as the relevant functions and device codes, and possibly device code sequences to perform certain functions.

#### Service Setup

The service component determines the appropriate dynamic program guide(s) and the mapping from channels to networks. Together with the guide(s), this determines the mapping from channels and times of day to television programs. The user typically selects a service from one or more menus of national, international, or regional providers such as cable TV or satellite TV companies, or local lists of stations in local broadcast areas. The user may also indicate current channel subscriptions and other details from menus. Moreover, additional services (e.g., Internet radio stations) can easily be added at a later time as desired.

When newly installed, the handheld device's software may include lists of hundreds of cable and satellite TV providers to enable selection from menus and automatic text completion. Once service has been established, most of these can be eliminated from the unit's memory, and that storage can be reclaimed for other purposes.

#### Collection Setup and Maintenance

Details like favorite artists and genres (whether from explicit requests or implicit behavior) enable the system to obtain and store additional information related to particular content. For example, if a user purchases a new CD, the system may be requested to (or may automatically) obtain related information, such as individual song/track titles, lyrics, artist

information, reviews, and possibly even "CD cover" art. This information may be downloaded to the handheld device and/or stored on the user's PC or the Internet (e.g., the user's personal site on the Server System).

Such services may be available for a fee. Purchases made through this service will automatically update program information.

#### Handheld wireless control of entertainment devices

The handheld device controls the receiving devices using a wireless protocol. In one embodiment, the receiving device is designed to receive consumer infrared control signals from its companion wireless remote control, in which case the handheld device emits such signals from its infrared output to emulate the native remote control signals and control the device. Other configurations may include new kinds of receiving devices that support other line-of-sight optical communications such as IrDA, or radio frequency communications such as Bluetooth. New entertainment devices or adapters may support wired or wireless networked control. In general, very low bandwidth is required to select among program choices, as compared to transmitting graphic, audio, or video media.

Each receiving device may have a different set of wireless control sequences or codes. The specific codes needed to control a specific device can be obtained by referring to a database of such device codes, indexed by brand and model, or by training the handheld device using another remote control. Both practices are common in the Universal Remote Control and Trainable Remote Control industries.

Typically the core wireless control codes for tuning or selecting a broadcast program or read-only playback device correspond to the ten decimal digits 0 thru 9 and a Select or Enter key.

Other control codes may include volume increase and decrease, mute, pause, and power on/off for the receiving device. In some cases, the native device control system may use spatial selection such as a pop-up menu or two dimensional grid appearing on an entertainment display like a television. In this case browse buttons (up/down/left/right) and Select or Enter are used in the native control scheme. In these cases, the handheld unit's display may indicate the function



corresponding to the remote control codes being transmitted. Now the setup process will be described in more detail.

During a setup process when first signing up for service, the user indicates the User, Location, TVService, TVDevice, ReceiverDevice if the tuning device is not the TV, and any other devices the user wishes to control. These and related structures are described in Databases/Data Structures below.

The TVDeviceDB and ReceiverDeviceDB databases may be obtained from various sources, including commercial databases of infrared codes for “universal” remote controls licensed in the industry, from public domain sources, or through training by the individual user.

Commercial remote control databases are typically indexed by brand (such as Sony or Philips) from companies such as Universal Electronics or Innotec. Iterative user interaction may help determine which of several devices of the same brand successfully operates the Receiver or TV. Instructions appearing on the handheld device screen or elsewhere during setup may include asking the user “Did the TV turn off?” or “Did the receiver channel change to 2?” to verify that the correct database is being used.

If the handheld device contains an infrared transmitter, the user may train the system through a process that requires pressing each corresponding Button on an existing remote control, such as the device’s native remote control, while positioning the PDA so that it can record the remote control’s infrared signal for later playback at appropriate times. In the case of user training, the TVDeviceDB, ReceiverDeviceDB and other device databases are constructed through this process, so no reference to a commercial remote control database is required.

Selection from menus and other user interactions during setup may help determine which TV services this user will be controlling. For example, in general there may be more than one cable TV provider and multiple satellite services are available at this Location, with more than one LineUpDB for this Location referred to in the HeadEndsDB. The system may present these to the user during setup, for example by menu, so the user can select theirs. Similarly the user

may indicate by menu whether they subscribe to an analog basic service, digital cable or other elements of their service, thus indicating the relevant ServiceTier for their TV channel LineUp.

Setup software can be run again later to add users and devices and change locations and services. A typical example is adding another television (and optional receiver) in another room of the same home so it too can be controlled by the service.

At the end of the Setup process the system has effectively computed or selected a LineUpDB, TVControlDB, and ReceiverControlDB for this User based on the profile information the user has entered. This will allow the system to display the channel lineup and to change to a particular station in response to a user command entered, for example, by pressing an on-screen button. Now, the operation of the system will be described in more detail. That operation is also shown in Figure 1a.

#### Operation:

##### Guide Display

For the system to display the guide on the handheld device, the following sequence of steps can be followed. In general, the specific flow of data between computing devices can vary and computation may occur in a combination of a remote server, a local personal computer, the handheld computing device itself, and other networked computing devices, across which parts of the above data may be distributed. The various filtering described can proceed in a different order or on a different processor as long as the same result is achieved.

In some embodiments, the handheld device may obtain information on current and upcoming programs dynamically over a wireless network from a home PC on the same network, through wide area connection through a cellular phone, or other method with little local storage needed. In contrast, in the embodiment described below, the system stores days or weeks of schedule information in advance, which can be updated when the user performs an occasional synchronization operation. Synchronization may be performed using a wired cradle connected to a home PC through Serial or USB connection, wireless infrared data connection to a PC, or a

connection to a network through a modem – all commonly supported in PDA systems – or by various other means.

### Server Software

TV listing services such as Tribune Media or ClickTV provide copyrighted program  
5 schedule for some time interval, typically for two or more weeks in advance of the program air  
dates. (Similar data might come instead from online public domain sources.) Such firms provide  
national and worldwide Head End lists and Channel Lineup information for each tier in each  
head end, indexed by Location and TV Service providers, as well as TV Schedule and Program  
listing data. These are the sources of HeadEndsDB, LineUpDB, ScheduleDB and ProgramDB  
10 data files used by Server Programs in this embodiment.

Using the Location, TVService and Tier information given in the User's profile, the  
inventions Server Programs filter large national (or regional or worldwide) databases of stations  
and programs to include only programs for StationIDs in the LineUp this user can receive.

To store only information relevant to this User in his/her handheld device for an  
upcoming time interval, such as a day or a week, Server Software refers to each program's  
ShowStart and ShowDuration further filters the ScheduleDB to include only scheduled programs  
that overlap with that time interval, which include the date and time of the beginning and end of  
each program in that database. The Server Software also can filter the ProgramDB, which maps  
ProgramIDs found in the ScheduleDB onto program names and other descriptive program  
15 information, so the filtered version includes only programs referred to in the filtered  
ScheduleDB, which indicates shows this user can receive over the specified time interval.

The Server Software stores makes available these relevantly filtered ScheduleDB and  
ProgramDB files, now small enough to be easily installed in the handheld device. Additional  
data compression can also be performed on by Server Software or PC software, to make files  
25 smaller or speed data transfer. These may be decompressed using software in the handheld  
device.

### Viewing Guide Data and Pages

The handheld device contains real-time Clock software that should be set to the correct time. When the user activates the software, the handheld Client Software refers to this clock, comparing the clock's current date and time to the ShowStart and ShowDuration times in filtered and locally stored ScheduleDB.

Ordinarily the user will have access to more programs than can be presented easily on a single screen of the handheld device. Those skilled in the art of PDA design may employ standard solutions to with multiple Pages or generate pages dynamically.

Standard methods for managing multiple pages include a virtual ring or carousel in which each Page has a logical Previous and Next page. Navigation to a Previous or Next page can be achieved by various methods including those described below:

Touch screen button presses

Examples:

- button location for transfer to a particular page
- 2 on screen button locations for Previous and Next in a structure

Hardware Buttons – for example 2 previous/next buttons

Thumbwheel – for example, as available on Sony CLIE PDAs

- clockwise means Next Page, counterclockwise means Previous Page

Touch screen button strokes, pie menus

Text search allows wider access to pages, out of sequence. A user may enter a text string with native device text entry and search by:

Program name

Page name

Genre name

Artist or other personnel name

- 5 Touch screen pop-up or pull-down menus also allow out of sequence access to pages, letting the user select a page or category by name.

Pages can be constructed dynamically, for example, presenting shows of one genre or other property indicated in the ProgramDescription data. Now, the database used with the system will be described in more detail.

#### Databases / data structures:

Each of the databases described below contains a set of records with fields as indicated, or their functional equivalents. Records may typically have more fields, including user readable string information and documentation.

#### Device Databases

##### ReceiverControlDB

ButtonID, ControlCode

Receiver ButtonID examples include digits: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9,  
Enter, ...

##### TVControlDB

ButtonID, ControlCode

TV ButtonID examples: Power, Mute, VolumeUp, VolumeDown, TV-Video,...

ControlCode information may include modulation frequencies for infrared pulses, pulse timing sequences, sampled infrared data, and any other information required to generate infrared or other control signals needed to control the device. TV control is not required to program changing, but is valuable in replacing the most common functions of the TV system remote control within a single handheld system.

#### Guide Listing Databases

Each database contains multiple records. They may be formatted as indicated:

##### HeadEndsDB

Location, HeadEndID, LineUpDB

Each record maps a location onto an entire headend and its channel lineups.

##### LineUpDB:

HeadEndID, ServiceTier, StationID, ChannelNumber

Each record indicates which numbered channel this station is carried on in this headend and service tier. Channels are typically 2-3 digit numbers.

##### ScheduleDB

StationID, ShowStart, ShowDuration, ProgramID

##### ProgramDB

ProgramID, ProgramName, ProgramDescription

Structures:

Page

User, Label, Buttons

Button

Page, Rectangle, Channel, ProgramID

5 The touch sensitive buttons may be implemented as commonly known in the art of PDA software design. Sound feedback can help confirm to the user that an on-screen button has been successfully pressed, or that the handheld device is communicating via infrared. Moreover, Pie Menus can be used to provide additional functions beyond simple button pressing (see reference below) in compact space. When a Page is selected, each Button is drawn in its rectangle, with identifying program or channel information, typically the program title for the program corresponding to ProgramID. When the user viewing the Page presses the button by tapping inside the defined Rectangle, the handheld device can read the corresponding value for Channel in the Button record, and transmits the sequence of ControlCodes (infrared transmissions) that correspond to the ButtonID for each digit in the Channel, most significant digit first. For improved robustness, for some receivers our system may follow the channel digits with an Enter, so if another button is immediately pressed,

Program Selection

20 The user may indicate a particular program choice through a gesture such as pressing a hardware button, or a soft control on a touchscreen that indicates the name of the program. Users review, choose, or dismiss content choices in any player or service using one simple interface, while preference information is effortlessly collected.

Soft Program Selection Buttons

FIG 2 shows the elements of a program schedule display 100 including programs on 5 networks. The elements may include a channel element 102 that indicates the channel of the particular content being shown, a dismiss channel element 104 wherein the user may remove that channel from the display, a network element 106 that lists the network for the particular content, a select program element 108 that permits the user to select a particular piece of content/program, a program title element 110 that lists the title of each program being displayed, a dismiss program element 112 that permits the user to remove the particular program from the display and a current selection element 114 that indicates the current selection of the user. Bold labels refer to columns of buttons elements. Pressing the circular **select** button element 108 on the handheld screen surface selects the corresponding program and network and indicates this selection in a history log of this device's behavior. Pressing a square **dismiss** program button element 112 dismisses the corresponding program or network choice from the list.

Dismissing an element relegates it to a lower position in the current list, or to another list of lower priority. Pressing a **dismiss program** button 112 dismisses the indicated program and removes the corresponding row from the current screen, moving it to the bottom of the current program list or to another list. If controlling a broadcast receiver device, when that program is over and a new one begins on the same network, the new program may appear on the top of the list depending on its priority. Pressing the **dismiss network** button 104 removes the corresponding row containing the TV or radio network from the current list (and possibly moves it to another list, depending upon user preferences), independent of which program is playing. The disappearance of the dismissed item leaves room for other programs in the same list, which may scroll automatically to replace it, as well as for parts of other program lists, and other elements.

Optional on-screen elements include pay-per-view options, and other elements such as program and product recommendations, advertisements, and text chat. Pay per view may be enacted entirely through the remote control, including PIN authorization and other information, or the user may be instructed to call the pay per view service provider, or the handheld control



may transfer programming and billing information to the service provider later when a network connection has been established, through cooperation with the service provider.

Hard buttons and operation with one hand

While universal remotes typically have 30 or more buttons, the invention allows users to surf favorites and control sound using fewer than 6 buttons on a handheld device, with one hand. Only complex activities, like searching for a program by name, might require the stylus or the touch sensitive aspect of the display screen.

**FIG 3** illustrates the handheld unit 22 and its controls. In this example, the system's display is on a Palm PDA, including its touch sensitive display and a built-in infrared emitter and sensor, a row of hardware control buttons, and several software control buttons (explained below and in **FIG 5**). The controls shown in Figures 3 and 5 include an infrared emitter and sensor 120 for communications using IR signals, a back button 122, a select button 124, an up/down button 126, a mute button 128 and a custom function button 130. In this example, the typical buttons on the Palm PDA have been reprogrammed. As shown in Figure 5, the soft buttons (buttons shown on the screen of the Palm PDA that can be selected by touching the touchscreen of the PDA) may include a change listing time button 132 to display the current listing time and to change the current listing times, a change current device button 134 to change the current device being controlled by the handheld unit, a toggle device power button 136 to turn on/off the current device being controlled, such as the television, a search by text string button 138 to search for a text string, a current time button 140 showing the current time, a display program info button 142 to display the programming information and a change current category button 144.

Using the **up/down** and **select** buttons, the user can either review programs in a lazy 'Review' mode that requires the user to press the select button to tune a new program, or surf in an eager 'Auto Select' mode that automatically tunes to each program when the user scrolls to it. An indication of which of these modes is in effect can be displayed on the screen.

In **FIG 3**, highlighting indicates that Seinfeld is the program currently being considered. By pressing the select button, the user indicates a desire to tune to the network, channel, and program indicated in that row. The dark circle indicates that the user has made a selection. As each digit of the channel number or other information is emitted from the handheld device, the unit may present, highlight, or otherwise indicate the digit or element on its display, and emit a sound, to help the user know the device is operating and, for example, that the user should continue pointing the emitter at the receiving device. This provides greater robustness to the user interface.

In Review mode, pressing the down button will move the highlight down to the next item. The displayed list may scroll automatically. Information about the currently highlighted program (now shown in bold face) may appear on the screen as in **FIG 4**.

Fig 4B shows a typical screen of the invention. The screen shows a page of currently available program choices from a user's DirecTV satellite TV service, for the time indicated at the bottom of the screen, 12:00pm or noon, in the Kids/Learning page or category indicated in the upper right corner. Most of the screen is filled with the names of a dozen currently showing programs appearing as labels on on-screen buttons. In this case, programs that were already in progress before the indicated time 12:00pm time have a small dot preceding the title – in this case, the Flintstones was already in progress. To select a program, the user simply taps the on screen button for that program with a finger or stylus, while pointing the handheld device so its infrared transmitter faces the satellite receiver. The two buttons in the lower left can be pressed to provide access to the previous or next page or category. The Kids/Learning label in the upper right corner is a standard pull-down menu that can also be touched to present a list of other pages including other program categories and devices, for selection by a second tap. Then the page changes and the label in the upper right corner reflects the new current page. The user in the example in **Fig 4B** has a TiVo Digital Video Recorder in their satellite receiver, which permits additional functionality such as program Pause, indicated on a button with its standard icon, which can be pressed to pause a live or recorded program. The user can access other TiVo-

specific functionality by selecting the TiVo page, whether from the pop-up menu or, in this example, by tapping the button labeled TiVo in the lower right.

In **Fig 4C** the user has selected the TiVo page, thus changing the page label and populating the screen with a different set of buttons aimed primarily at device control rather than program selection. The TiVo device is a Digital Video Recorder providing various recording, playback control, and content selection for television, using the television screen as a display. The TiVo page provides access to TiVo functions, including on-screen buttons for recording and playback control using standard icons to represent Record, Play, Rewind, Fast Forward, and Pause. The standard navigation buttons Up, Down, Left, Right, and Select let the user browse and select programs recorded in the TiVo device or to use its built-in program guide, while other buttons provide access to other TiVo functions.

**Figures 4D and 4E** show a somewhat different embodiment of a Palm based interface and program browsing and selection page. As indicated in **Fig 4D**, the PDA's hardware buttons have been adapted to allow one-handed operation of frequently used functions, including **Volume** 150 increase and decrease buttons, **Muting** 152, and **Power** 154 on/off, as well as easy access to the **Previous** 156 and the **Next** 158 page or category in the listing. As indicated in **Fig 4E**, the screen elements include a partial list of **programs choices** 162 to pick from. With the handheld device pointed at the receiver, if the user taps any of these names on the screen and releases, the digits for the corresponding channel will be transmitted, causing the channel to change and tuning that program. This will also update the dark highlight indicating the **current program** 164. Details for this program or episode, in this example an episode of the Oprah Winfrey program, may appear in an area for **program details** 160. In this embodiment, if the user wishes to review program details without changing the channel, the user may push upward on the screen before removing the finger or stylus from the touch screen, a gesture indicating 'put this program up in the detail area', so the current program and program details are updated to reflect this choice but the channel does not yet change. After reviewing the program detail, the user can subsequently tune the program by tapping its name either in the program choices or in the program detail area. Thus the user can browse and review choices and details without

changing channels, interrupting a current program, or otherwise effecting or interfering with the television screen.

In addition to the **Previous** 156 and **Next** 158 buttons in **Fig 4D**, in this embodiment the on-screen indicator the current **guide date/time** 166 in **Fig 4E** is also a controller that allows the user to navigate and browse other channels, and programs at other times, again using a gesture rather than a simple touch. Drag left to see shows at a earlier time; drag right to see shows at a later time; drag up or down to see pages or channels higher or lower in the list. This use of gesture, a variant of Pie Menus, can be used throughout the interface to provide further functionality while conserving screen space and the number of screen objects.

#### Cross-Device and cross-media control interfaces

Several controls and interfaces can be used independent of which media player or tuning device is being operated, simplifying learning, ease of use, and ongoing operation of the device. The hardware **mute** button 128 appearing in **FIG 3** will mute the television or pause the current playback device, depending on which device has been selected with the **change current device** control 134 shown in **FIG 5**. Pressing the **change current device** button 134 pops up a menu of devices for the user to choose on the display; in the figure the icon shows the current playback device is the TV system. The **toggle device power** button 136 can be used to turn the current device or system on or off. For tuned broadcast media as in a TV listing, the **change listings time** button 132 shows what time the listed programs will start and lets the user change it with pop-up menus. The **search by text string** button 138 can be used to perform a text string search. The palmtop device's native text entry system (e.g. designed for memo entry on a PDA or speed dial names in a cellular phone) may be used to enter text for search by program name or other category. The **display program info** button 142 lets the user view information about the currently highlighted program; in some embodiments, this could be mapped onto a hardware button such as the **custom function** button 130 in **FIG 3**. In **FIG 4** the **change current category** button 144 can be used to switch from a list of favorite programs to another list, such as premium channels. This too can be a pop-up menu displaying its current value, in this case an icon for "current TV favorites". A display in **FIG 5** also shows the current local clock time.

### Interruption-free program browsing

In general, the handheld unit's program guide(s) let the user review choices without affecting the video or audio on the TV display. This has personal lifestyle value as well as social value: participants can consider and review choices without interfering with or interrupting the program other viewers may be watching. **FIG 4** shows the viewer still tuned to the channel for Seinfeld, as indicated by the black dot on the Select button, reviewing details about the upcoming episode of Law and Order, as indicated by the bold face text.

### Browsing and Navigating Content, Devices, and Internet

Together with the **up/down** and **select** buttons, the **back** button lets the user browse tree structured databases, including multiple views of program choices available on multiple media playback devices. **FIG 6** shows the core of such a tree that includes multiple homes, multiple devices in each home, and multiple CDs and DVDs in each player, as well as radio and digital video recorder (DVR) programs in devices such as TiVo.

In handheld devices with a thumb wheel in addition to the primary buttons such as the SONY CLIE PalmOS device, the thumb wheel can provide the up/down and select buttons, leaving other buttons available for other tasks.

The same browsing controls can be used to browse Internet web sites, where users can move up and down between consecutive screens or interactive elements, select an item or link, or go back to a previous page using the hard buttons to browse quickly without a stylus, as in a WebTV or AOLTV web experience operated with a remote control. Left and right navigation buttons, either 'soft' on the screen or 'hard' on physical buttons, may be used to enhance the experience or simplify the layout.

### Data Network Connection

The data network connection may be realized in any of several ways, such as:

- direct temporary wired connection through a modem

- indirect temporary wired connection through another networked device
- wireless connection to a wide area network
- wireless connection through a local area network.

A wireless network connection may be intermittent, temporary, on demand, or always on.

5 In the case of a PDA handheld, the invention may use the native data synchronization capabilities of the PDA, such as PalmOS HotSync, so that the handheld program schedule is updated when the user performs the synchronization and backup operation for other data, typically by pressing a single button.

Schedule, collection, device, and other system information may be cached on a network device such as a personal computer. Specific methods for maintaining such caches can vary. Systems with intermittent or slow connections may update schedule information eagerly in background and store it on the relatively large personal computer disk, for subsequent access by the handheld device at rates faster than the direct network connection. Systems with high speed always-on connections may limit or eliminate this cache.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000  
1005  
1010  
1015  
1020  
1025  
1030  
1035  
1040  
1045  
1050  
1055  
1060  
1065  
1070  
1075  
1080  
1085  
1090  
1095  
1100  
1105  
1110  
1115  
1120  
1125  
1130  
1135  
1140  
1145  
1150  
1155  
1160  
1165  
1170  
1175  
1180  
1185  
1190  
1195  
1200  
1205  
1210  
1215  
1220  
1225  
1230  
1235  
1240  
1245  
1250  
1255  
1260  
1265  
1270  
1275  
1280  
1285  
1290  
1295  
1300  
1305  
1310  
1315  
1320  
1325  
1330  
1335  
1340  
1345  
1350  
1355  
1360  
1365  
1370  
1375  
1380  
1385  
1390  
1395  
1400  
1405  
1410  
1415  
1420  
1425  
1430  
1435  
1440  
1445  
1450  
1455  
1460  
1465  
1470  
1475  
1480  
1485  
1490  
1495  
1500  
1505  
1510  
1515  
1520  
1525  
1530  
1535  
1540  
1545  
1550  
1555  
1560  
1565  
1570  
1575  
1580  
1585  
1590  
1595  
1600  
1605  
1610  
1615  
1620  
1625  
1630  
1635  
1640  
1645  
1650  
1655  
1660  
1665  
1670  
1675  
1680  
1685  
1690  
1695  
1700  
1705  
1710  
1715  
1720  
1725  
1730  
1735  
1740  
1745  
1750  
1755  
1760  
1765  
1770  
1775  
1780  
1785  
1790  
1795  
1800  
1805  
1810  
1815  
1820  
1825  
1830  
1835  
1840  
1845  
1850  
1855  
1860  
1865  
1870  
1875  
1880  
1885  
1890  
1895  
1900  
1905  
1910  
1915  
1920  
1925  
1930  
1935  
1940  
1945  
1950  
1955  
1960  
1965  
1970  
1975  
1980  
1985  
1990  
1995  
2000  
2005  
2010  
2015  
2020  
2025  
2030  
2035  
2040  
2045  
2050  
2055  
2060  
2065  
2070  
2075  
2080  
2085  
2090  
2095  
2100  
2105  
2110  
2115  
2120  
2125  
2130  
2135  
2140  
2145  
2150  
2155  
2160  
2165  
2170  
2175  
2180  
2185  
2190  
2195  
2200  
2205  
2210  
2215  
2220  
2225  
2230  
2235  
2240  
2245  
2250  
2255  
2260  
2265  
2270  
2275  
2280  
2285  
2290  
2295  
2300  
2305  
2310  
2315  
2320  
2325  
2330  
2335  
2340  
2345  
2350  
2355  
2360  
2365  
2370  
2375  
2380  
2385  
2390  
2395  
2400  
2405  
2410  
2415  
2420  
2425  
2430  
2435  
2440  
2445  
2450  
2455  
2460  
2465  
2470  
2475  
2480  
2485  
2490  
2495  
2500  
2505  
2510  
2515  
2520  
2525  
2530  
2535  
2540  
2545  
2550  
2555  
2560  
2565  
2570  
2575  
2580  
2585  
2590  
2595  
2600  
2605  
2610  
2615  
2620  
2625  
2630  
2635  
2640  
2645  
2650  
2655  
2660  
2665  
2670  
2675  
2680  
2685  
2690  
2695  
2700  
2705  
2710  
2715  
2720  
2725  
2730  
2735  
2740  
2745  
2750  
2755  
2760  
2765  
2770  
2775  
2780  
2785  
2790  
2795  
2800  
2805  
2810  
2815  
2820  
2825  
2830  
2835  
2840  
2845  
2850  
2855  
2860  
2865  
2870  
2875  
2880  
2885  
2890  
2895  
2900  
2905  
2910  
2915  
2920  
2925  
2930  
2935  
2940  
2945  
2950  
2955  
2960  
2965  
2970  
2975  
2980  
2985  
2990  
2995  
3000  
3005  
3010  
3015  
3020  
3025  
3030  
3035  
3040  
3045  
3050  
3055  
3060  
3065  
3070  
3075  
3080  
3085  
3090  
3095  
3100  
3105  
3110  
3115  
3120  
3125  
3130  
3135  
3140  
3145  
3150  
3155  
3160  
3165  
3170  
3175  
3180  
3185  
3190  
3195  
3200  
3205  
3210  
3215  
3220  
3225  
3230  
3235  
3240  
3245  
3250  
3255  
3260  
3265  
3270  
3275  
3280  
3285  
3290  
3295  
3300  
3305  
3310  
3315  
3320  
3325  
3330  
3335  
3340  
3345  
3350  
3355  
3360  
3365  
3370  
3375  
3380  
3385  
3390  
3395  
3400  
3405  
3410  
3415  
3420  
3425  
3430  
3435  
3440  
3445  
3450  
3455  
3460  
3465  
3470  
3475  
3480  
3485  
3490  
3495  
3500  
3505  
3510  
3515  
3520  
3525  
3530  
3535  
3540  
3545  
3550  
3555  
3560  
3565  
3570  
3575  
3580  
3585  
3590  
3595  
3600  
3605  
3610  
3615  
3620  
3625  
3630  
3635  
3640  
3645  
3650  
3655  
3660  
3665  
3670  
3675  
3680  
3685  
3690  
3695  
3700  
3705  
3710  
3715  
3720  
3725  
3730  
3735  
3740  
3745  
3750  
3755  
3760  
3765  
3770  
3775  
3780  
3785  
3790  
3795  
3800  
3805  
3810  
3815  
3820  
3825  
3830  
3835  
3840  
3845  
3850  
3855  
3860  
3865  
3870  
3875  
3880  
3885  
3890  
3895  
3900  
3905  
3910  
3915  
3920  
3925  
3930  
3935  
3940  
3945  
3950  
3955  
3960  
3965  
3970  
3975  
3980  
3985  
3990  
3995  
4000  
4005  
4010  
4015  
4020  
4025  
4030  
4035  
4040  
4045  
4050  
4055  
4060  
4065  
4070  
4075  
4080  
4085  
4090  
4095  
4100  
4105  
4110  
4115  
4120  
4125  
4130  
4135  
4140  
4145  
4150  
4155  
4160  
4165  
4170  
4175  
4180  
4185  
4190  
4195  
4200  
4205  
4210  
4215  
4220  
4225  
4230  
4235  
4240  
4245  
4250  
4255  
4260  
4265  
4270  
4275  
4280  
4285  
4290  
4295  
4300  
4305  
4310  
4315  
4320  
4325  
4330  
4335  
4340  
4345  
4350  
4355  
4360  
4365  
4370  
4375  
4380  
4385  
4390  
4395  
4400  
4405  
4410  
4415  
4420  
4425  
4430  
4435  
4440  
4445  
4450  
4455  
4460  
4465  
4470  
4475  
4480  
4485  
4490  
4495  
4500  
4505  
4510  
4515  
4520  
4525  
4530  
4535  
4540  
4545  
4550  
4555  
4560  
4565  
4570  
4575  
4580  
4585  
4590  
4595  
4600  
4605  
4610  
4615  
4620  
4625  
4630  
4635  
4640  
4645  
4650  
4655  
4660  
4665  
4670  
4675  
4680  
4685  
4690  
4695  
4700  
4705  
4710  
4715  
4720  
4725  
4730  
4735  
4740  
4745  
4750  
4755  
4760  
4765  
4770  
4775  
4780  
4785  
4790  
4795  
4800  
4805  
4810  
4815  
4820  
4825  
4830  
4835  
4840  
4845  
4850  
4855  
4860  
4865  
4870  
4875  
4880  
4885  
4890  
4895  
4900  
4905  
4910  
4915  
4920  
4925  
4930  
4935  
4940  
4945  
4950  
4955  
4960  
4965  
4970  
4975  
4980  
4985  
4990  
4995  
5000  
5005  
5010  
5015  
5020  
5025  
5030  
5035  
5040  
5045  
5050  
5055  
5060  
5065  
5070  
5075  
5080  
5085  
5090  
5095  
5100  
5105  
5110  
5115  
5120  
5125  
5130  
5135  
5140  
5145  
5150  
5155  
5160  
5165  
5170  
5175  
5180  
5185  
5190  
5195  
5200  
5205  
5210  
5215  
5220  
5225  
5230  
5235  
5240  
5245  
5250  
5255  
5260  
5265  
5270  
5275  
5280  
5285  
5290  
5295  
5300  
5305  
5310  
5315  
5320  
5325  
5330  
5335  
5340  
5345  
5350  
5355  
5360  
5365  
5370  
5375  
5380  
5385  
5390  
5395  
5400  
5405  
5410  
5415  
5420  
5425  
5430  
5435  
5440  
5445  
5450  
5455  
5460  
5465  
5470  
5475  
5480  
5485  
5490  
5495  
5500  
5505  
5510  
5515  
5520  
5525  
5530  
5535  
5540  
5545  
5550  
5555  
5560  
5565  
5570  
5575  
5580  
5585  
5590  
5595  
5600  
5605  
5610  
5615  
5620  
5625  
5630  
5635  
5640  
5645  
5650  
5655  
5660  
5665  
5670  
5675  
5680  
5685  
5690  
5695  
5700  
5705  
5710  
5715  
5720  
5725  
5730  
5735  
5740  
5745  
5750  
5755  
5760  
5765  
5770  
5775  
5780  
5785  
5790  
5795  
5800  
5805  
5810  
5815  
5820  
5825  
5830  
5835  
5840  
5845  
5850  
5855  
5860  
5865  
5870  
5875  
5880  
5885  
5890  
5895  
5900  
5905  
5910  
5915  
5920  
5925  
5930  
5935  
5940  
5945  
5950  
5955  
5960  
5965  
5970  
5975  
5980  
5985  
5990  
5995  
6000  
6005  
6010  
6015  
6020  
6025  
6030  
6035  
6040  
6045  
6050  
6055  
6060  
6065  
6070  
6075  
6080  
6085  
6090  
6095  
6100  
6105  
6110  
6115  
6120  
6125  
6130  
6135  
6140  
6145  
6150  
6155  
6160  
6165  
6170  
6175  
6180  
6185  
6190  
6195  
6200  
6205  
6210  
6215  
6220  
6225  
6230  
6235  
6240  
6245  
6250  
6255  
6260  
6265  
6270  
6275  
6280  
6285  
6290  
6295  
6300  
6305  
6310  
6315  
6320  
6325  
6330  
6335  
6340  
6345  
6350  
6355  
6360  
6365  
6370  
6375  
6380  
6385  
6390  
6395  
6400  
6405  
6410  
6415  
6420  
6425  
6430  
6435  
6440  
6445  
6450  
6455  
6460  
6465  
6470  
6475  
6480  
6485  
6490  
6495  
6500  
6505  
6510  
6515  
6520  
6525  
6530  
6535  
6540  
6545  
6550  
6555  
6560  
6565  
6570  
6575  
6580  
6585  
6590  
6595  
6600  
6605  
6610  
6615  
6620  
6625  
6630  
6635  
6640  
6645  
6650  
6655  
6660  
6665  
6670  
6675  
6680  
6685  
6690  
6695  
6700  
6705  
6710  
6715  
6720  
6725  
6730  
6735  
6740  
6745  
6750  
6755  
6760  
6765  
6770  
6775  
6780  
6785  
6790  
6795  
6800  
6805  
6810  
6815  
6820  
6825  
6830  
6835  
6840  
6845  
6850  
6855  
6860  
6865  
6870  
6875  
6880  
6885  
6890  
6895  
6900  
6905  
6910  
6915  
6920  
6925  
6930  
6935  
6940  
6945  
6950  
6955  
6960  
6965  
6970  
6975  
6980  
6985  
6990  
6995  
7000  
7005  
7010  
7015  
7020  
7025  
7030  
7035  
7040  
7045  
7050  
7055  
7060  
7065  
7070  
7075  
7080  
7085  
7090  
7095  
7100  
7105  
7110  
7115  
7120  
7125  
7130  
7135  
7140  
7145  
7150  
7155  
7160  
7165  
7170  
7175  
7180  
7185  
7190  
7195  
7200  
7205  
7210  
7215  
7220  
7225  
7230  
7235  
7240  
7245  
7250  
7255  
7260  
7265  
7270  
7275  
7280  
7285  
7290  
7295  
7300  
7305  
7310  
7315  
7320  
7325  
7330  
7335  
7340  
7345  
7350  
7355  
7360  
7365  
7370  
7375  
7380  
7385  
7390  
7395  
7400  
7405  
7410  
7415  
7420  
7425  
7430  
7435  
7440  
7445  
7450  
7455  
7460  
7465  
7470  
7475  
7480  
7485  
7490  
7495  
7500  
7505  
7510  
7515  
7520  
7525  
7530  
7535  
7540  
7545  
7550  
7555  
7560  
7565  
7570  
7575  
7580  
7585  
7590  
7595  
7600  
7605  
7610  
7615  
7620  
7625  
7630  
7635  
7640  
7645  
7650  
7655  
7660  
7665  
7670  
7675  
7680  
7685  
7690  
7695  
7700  
7705  
7710  
7715  
7720  
7725  
7730  
7735  
7740  
7745  
7750  
7755  
7760  
7765  
7770  
7775  
7780  
7785  
7790  
7795  
7800  
7805  
7810  
7815  
7820  
7825  
7830  
7835  
7840  
7845  
7850  
7855  
7860  
7865  
7870  
7875  
7880  
7885  
7890  
7895  
7900  
7905  
7910  
7915  
7920  
7925  
7930  
7935  
7940  
7945  
7950  
7955  
7960  
7965  
7970  
7975  
7980  
7985  
7990  
7995  
8000  
8005  
8010  
8015  
8020  
8025  
8030  
8035  
8040  
8045  
8050  
8055  
8060  
8065  
8070  
8075  
8080  
8085  
8090  
8095  
8100  
8105  
8110  
8115  
8120  
8125  
8130  
8135  
8140  
8145  
8150  
8155  
8160  
8165  
8170  
8175  
8180  
8185  
8190  
8195  
8200  
8205  
8210  
8215  
8220  
8225  
8230  
8235  
8240  
8245  
8250  
8255  
8260  
8265  
8270  
8275  
8280  
8285  
8290  
8295  
8300  
8305  
8310  
8315  
8320  
8325  
8330  
8335  
8340  
8345  
8350  
8355  
8360  
8365  
8370  
8375  
8380  
8385  
8390  
8395  
8400  
8405  
8410  
8415  
8420  
8425  
8430  
8435  
8440  
8445  
8450  
8455  
8460  
8465  
8470  
8475  
8480  
8485  
8490  
8495  
8500  
8505  
8510  
8515  
8520  
8525  
8530  
8535  
8540  
8545  
8550  
8555  
8560  
8565  
8570  
8575  
8580  
8585  
8590  
8595  
8600  
8605  
8610  
8615  
8620  
8625  
8630  
8635  
8640  
8645  
8650  
8655  
8660  
8665  
8670  
8675  
8680  
8685  
8690  
8695  
8700  
8705  
8710  
8715  
8720  
8725  
8730  
8735  
8740  
8745  
8750  
8755  
8760  
8765  
8770  
8775  
8780  
8785  
8790  
8795  
8800  
8805  
8810  
8815  
8820  
8825  
8830  
8835  
8840  
8845  
8850  
8855  
8860  
8865  
8870  
8875  
8880  
8885  
8890  
8895  
8900  
8905  
8910  
8915  
8920  
8925  
8930  
8935  
8940  
8945  
8950  
8955  
8960  
8965  
8970  
8975  
8980  
8985  
8990  
8995  
9000  
9005  
9010  
9015  
9020  
9025  
9030  
9035  
9040  
9045  
9050  
9055  
9060  
9065  
9070  
9075  
9080  
9085  
9090  
9095  
9100  
9105  
9110  
9115  
9120  
9125  
9130  
9135  
9140  
9145  
9150  
9155  
9160  
9165  
9170  
9175  
9180  
9185  
9190  
9195  
9200  
9205  
9210  
9215  
9220  
9225  
9230  
9235  
9240  
9245  
9250  
9255  
9260  
9265  
9270  
9275  
9280  
9285  
9290  
9295  
9300  
9305  
9310  
9315  
9320  
9325  
9330  
9335  
9340  
9345  
9350  
9355  
9360  
9365  
9370  
9375  
9380  
9385  
9390  
9395  
9400  
9405  
9410  
9415  
9420  
9425  
9430  
9435  
9440  
9445  
9450  
9455  
9460  
9465  
9470  
9475  
9480  
9485  
9490  
9495  
9500  
9505  
9510  
9515  
9520  
9525  
9530  
9535  
9540  
9545  
9550  
9555  
9560  
9565  
9570  
9575  
9580  
9585  
9590  
9595  
9600  
9605  
9610  
9615  
9620  
9625  
9630  
9635  
9640  
9645  
9650  
9655  
9660  
9665  
9670  
9675  
9680  
9685  
9690  
9695  
9700  
9705  
9710  
9715  
9720  
9725  
9730  
9735  
9740  
9745  
9750  
9755  
9760  
9765  
9770  
9775  
9780  
9785  
9790  
9795  
9800  
9805  
9810  
9815  
9820  
9825  
9830  
9835  
9840  
9845  
9850  
9855  
9860  
9865  
9870  
9875  
9880  
9885  
9890  
9895  
9900  
9905  
9910  
9915  
9920  
9925  
9930  
9935  
9940  
9945  
9950  
9955  
9960  
9965  
9970  
9975  
9980  
9985  
9990  
9995  
10000  
10005  
10010  
10015  
10020  
10025  
10030  
10035  
10040  
10045  
10050  
10055  
10060  
10065  
10070  
10075  
10080  
10085  
10090  
10095  
10100  
10105  
10110  
10115  
101

- Transfer personal selection, dismissal, info request and other behavior and preference information from handheld device to server system
- Log changes and resolve inconsistencies between handheld and network databases
- Transfer updates to device, service, collection, and preference databases from network databases to handheld as needed
- Transfer upcoming broadcast schedule information from network databases to the handheld device
- Transfer advertising, targeted marketing queries, transactions opportunities, and related data from network to handheld
- Transfer pending transactions, ad responses, and targeted marketing results from handheld to network databases
- Transfer performance based marketing data from handheld device to network databases

Profiles: Recording User Behavior and Preferences

Data about the user's decisions and the operation of the device, including selection or dismissal of programs and networks, times and time intervals a program was tuned, user requests for information about programs, and other information can be collected and the forwarded to the server system (and/or to the user's PC). When operating other devices such as multi-CD jukebox players with the device, the system can keeps track of which CDs the user listens to frequently, and which tracks of a particular CD the user listens to first, or repeatedly, and which tracks the user skips. This information, perhaps in combination with other information provided by the user in account setup and maintenance, can be constructed into an entertainment profile of the user's entertainment consumption behavior and preferences.

These user entertainment profiles can be used in a variety of ways that benefit the user of handheld directory services. Also, firms that use, sell, or otherwise value customer and market information may seek access to profile information in various forms and compensate the handheld service provider and/or its users. These parties may include television networks, cable and satellite TV providers, streaming and on-demand media providers, television advertisers, music vendors and artists, and market research firms such as Nielsen and Arbitron rating services, which attempt to sample, measure, and estimate the numbers and demographic attributes of viewers for various entertainment. Information in the user's profile like the user's age, neighborhood, or address may allow demographic and personal information about the user to be hidden for privacy or other reasons, aggregated for statistical purposes, or revealed in greater detail, subject to agreements with users and with parties desiring the information.

Uses of profile information include:

- Dynamic Personalized Favorites and Recommendations
- Targeted Marketing
- Performance Based Marketing
- Advertisement and Promotions
- Pay Per View and other purchase transactions

#### Dynamic, Personalized Favorites

The user's entertainment profile can be used for several purposes including construction of dynamic lists of programs in the handheld directory. This provides the user immediate or easier access to preferred and favorite program choices, while offering more difficult access or less screen area to less preferred and least favorite available programs.

For example, if a viewer using the handheld directory to review and tune current broadcast television programs has in the past used the device to select and remain tuned to many



episodes of the dramatic series 'Law and Order', and 'Law and Order' is playing now, the system can elevate 'Law and Order' to be higher in the current list of choices. The program can be moved to a list of favorite programs presented to the user before other lists, or toward the top of a list where it will be seen before others. If the user has dismissed a program such as 'Hey Arnold!' or the 'NICK' network itself, this option can be offered instead on a separate least-favorite programs or networks list, or toward the bottom of a list, where the user might have to scroll to see or select that program choice.

When using the device to tune broadcast TV, the first list presented to the user can be limited to favorites computed through analysis of past tuning (and implied past viewing) and other profile elements. In this context, the buttons that enable surfing, for example through pressing the hard up/down buttons with one hand, will surf first or only among programs computed to be the user's favorites. In one embodiment, "favorites" and recommended programs appear in a separate category, and the user surfs only favorites. In another embodiment, the categories may be linked so that continuing to surf past the end of the favorites list begins to surf favorites in the next category. In another embodiment, items considered the least favorite are stored in separate lists.

While **Fig 3** shows a display the user might see just after setting up the device – showing the networks and programs in order of consecutively increasing channel number – **Fig2** and **Fig 4** show a shorter list of "favorite" programs the user has watched episodes of before. According to the stored profile, this user has watched many minutes of "Seinfeld" and of "Law and Order" in recent days, and a few minutes of "The Daily Show". So of currently the available programs, these three are presented first on a short list of favorites, independent of channel number order.

Detailed information in the user's entertainment profile may also indicate, for example, that this is an episode of 'Law and Order' the user has apparently seen before, or didn't see the end of, in which case the system can provide ways to offer relevant messages and options to users, more useful lists of choices, and other information that might help the user make program selection decisions. The user may be offered relevant information through the handheld device

or other means such as electronic mail, instant messages, displays on a networked device, and online environments.

When the handheld device is used to control a media player such as a CD player or jukebox, dynamic management of favorites may take the form of listing tracks in a different order than they appear on the CD, so songs the user listens to most frequently appear at the top of the list or on a favorites list, while songs the user often skips or never plays appear at the bottom or on a different list. A sequence of tracks or songs might also be presented in the order in which this user most often plays them, or in some other computed preference order, as individual songs in the directory or aggregated in a play list.

#### Personalized Recommendations

The user's entertainment profile and other elements may be used to provide recommendations of programs and products that may be relevant or valuable to the user. For example, programs may be assigned to categories like "adult comedy" or "police drama" through a human editor or program guide service, providing multiple attributes that support identifying and recommending programs that are similar in one or more dimensions. This information can then be combined with profile information and directory information to help recommend programs the user might enjoy.

For instance, a user who consistently selects episodic adult comedies like "The Larry Sanders Show" and "Sex and the City" may receive a recommendation of a program "Rude Awakening" (when it is broadcast) which also fits the adult comedy category. Thus, "Rude Awakening" might appear on this user's primary list of programs when reviewing broadcast TV choices, for easy selection. The user might also dismiss such a choice. Dismissal of such a recommendation can have immediate effects, such as the removal of this item from a favorites list. It may also effect the user's entertainment profile and have longer term effects, such as placing less weight on adult comedies in future recommendations in this example.

Recommendations may result partly or entirely from profile information provided explicitly by the user. For example, a user may ask the system to include any movie that has Jack Nicholson in its cast on the favorites list when it is showing.

#### Advertising and Promotion

5 The screen images that show the user media choices and other information can also show advertisements, marketing and promotional information, and other information. This ad and related information may be particularly suited to the kind of media consumption the user is involved in, such as choosing a broadcast television program to watch. A advertisement paid for by an entertainment vendor such as a television network or production company may indicate a program that is about to begin, which might not otherwise ordinarily appear on this user's short list of recommended programs at this time. In this context, the advertisement would include a button that when pressed allows the user to switch immediately to tuning the advertised program. Presented advertisements and promotions need not be limited to media selections. The screen area can be used to advertise or promote anything, although entertainment programs and devices may be particularly relevant to the context of entertainment choices and devices the user is interacting with. Paid advertisements may be indicated to users and distinguished from other recommendations through differences in typeface, color, or other attributes. Different grades of service may determine whether the user is presented with unsolicited advertisements.

20 Unlike advertisements on the television screen, advertisements presented through this invention do not interrupt or otherwise interfere with the television program currently being viewed, and can be presented continuously for hours, for as long as the user allows the media directories in the Handheld Device to function. Logs of handheld advertising events can be added to the user's profile and can be forwarded to advertisers, market research firms, and other interested parties. Information about device operation, including hard and soft button control activity, can help indicate whether an ad or other material was seen by the user, and this information too may be forwarded.

#### Performance Based Marketing

Unlike most forms of advertising, the invention allows some automatic measurement of the effectiveness of an ad by recording, for example, whether the user pressed a button to let the user tune the advertised program. The stored record of button presses may even indicate whether the user continued to watch the program to the end switched to watching something else, and how much time elapsed between such decision events. Records of such user decisions may be forwarded to the directory service provider, advertisers, vendors, and other paying customers, to provide records of the effectiveness of advertisements and promotions, and to provide better recommendations and service in the future. Payments from advertisers may be larger in the presence of such evidence that users actually watched the advertised program.

#### Targeted Marketing

The system may combine elements of personal profiles and user requests with the business interests of paying advertisers and vendors, in effect helping to find a match between customer and vendor offerings. For example, if the system calculates as above that the program "Rude Awakening" fits the user's preferences, but it appears on a premium network Showtime to which to user has no subscription, the system may present an opportunity to purchase a subscription to the Showtime network programming by pressing an on-screen button, or offer a Pay Per View media consumption opportunity as described below. The provider of the directory service may handle the electronic or other payment, and/or may receive a commission on the subscription or pay per view purchase.

Since the user has no subscription to the Showtime network yet, the appearance of this recommendation may also be predicated on payment of a promotional marketing or advertising fee to the provider of the personal directory service. Different grades of service may offer the user more or fewer recommendations and advertisements in different cost structures.

#### Pay Per View and other purchase transactions

In some grades of service the user may see in a list a pay-per-view program, a program a premium service this customer does not subscribe to, a product that requires credit card authorization, or some other product that requires a pay transaction. The invention seeks to

support these payment modes through cooperation with product vendors, credit card and debit card providers, shipping fulfillment providers, cable and satellite TV providers, pay streaming media providers, and other vendors.

Many purchase transactions can simply be executed through a credit card or debit card.

5 Some purchase transactions may be conducted entirely using the handheld infrared remote control communications with the set-top box, perhaps including authorization through a secret PIN number known to the user, stored in the handheld device or entered for each transaction. Other transactions may require a telephone call or electronic cooperation with the program or TV service provider. Information about the user's requests may be forwarded electronically to the  
10 program provider, immediately or upon the next synchronization of the handheld device with the network. Some orders may require synchronization through the network before the program can be viewed or the purchase completed. The handheld directory service provider may automatically receive a commission when such a promotion leads to a subscription, pay-per-view program, or other transaction.

15 Examples of targeted marketing and purchase transaction opportunities are indicated in **Fig 7**. In the figure, a user who has been using the invention to play a CD called "The Simpsons: Songs in the Key of Springfield" is being notified of another album concerning the Simpsons, "The Yellow Album", not currently in his collection. This may have been calculated using information from the worldwide CD database, indicating "The Simpsons" appears in the title or  
20 personnel of only a few different available CDs. The user's choices include:

- "Buy CD", which bills the user and arranges that it be shipped to his home address on his credit card
- "Not Interested", a variant of a dismiss button
- "Email more info" sends information to the user's email address to review,  
25 perhaps on a PC or handheld device

• “Add to Wish List” updates the user’s profile to indicate interest in a future purchase or gift. With permission, this wish list may be viewed by peers wishing to purchase a gift for the user.

Any of these choices generally updates the user’s profile and performs other operations.

5 Some operations or transaction may not be completed until the Handheld Device has made an online connection.

#### Cross-Device and Cross-Media Recommendations

The ability to control multiple devices, and to monitor and store records of program browsing and selection activity, lets the system offer recommendations that use information from other services. For example, if a user listens to Bob Dylan CD’s every day on her CD jukebox and also uses the Handheld Device to navigate and select broadcast TV programs, the system can recommend or alert the user when a Bob Dylan concert or interview appears in the television schedule. The system can display on screen buttons that easily let the user tune that program on TV easily and immediately.

#### Directories for Entertainment Venues

This broad and detailed knowledge of the user’s viewing experience and tastes can also be applied to other media directories, even those not always subject to handheld control. For example, along with device oriented directories, a user can browse and review customized online directories of currently playing movie, concert, or play choices in accord with the same profile of information gathered about this user’s favorite and least favorite artists, performers, writers, genres and shows. A user consulting such a handheld directory may reserve and purchase tickets to the event electronically if this service is available. Some network connectivity is required to complete such transactions.

Whether or not the ticket is purchased electronically, information about the search can remain in the profile to enhance service and recommendations in other media types and devices.

A user who searched repeatedly for showtimes of the movie "Jurassic Park 3" when it was in theaters can be offered a DVD or video copy when that becomes available.

#### Devices and directories in multiple locations

5 The user may carry the handheld device to other locations, continuing to control devices and benefit from the personalized directories it manages. To operate devices another location, the user must indicate the type of devices there. For instance, a user with cable TV at home when visiting a distant friend might indicate that the friend has a SONY TV (for volume, power and other controls) and DirecTV service and set-top box (for channel and other controls). From hundreds of channels in an unfamiliar lineup, the user's favorite networks and programs can still appear for easy selection. If the friend has a different selection of premium channels, some programs may not be available, and some new programs and recommendations may be available at this location. The directories show this. The profile and recommendations keep track of viewing at these alternate locations to provide better recommendations and targeted marketing.

10  
15  
20 Information about multiple alternate device control codes and channel lineups must be available in the handheld device or on the network. As always, trade-offs are possible: a user with a wireless network connection might obtain new device and lineup parameters dynamically; a user without a wireless connection might dock the device to synchronize it with the network information, keep parameters for numerous likely alternative devices and services in a local file, or enter device and service information from a browser on his neighbor's PC. Through agreements with distributors, pay per view and gift subscription services to the alternate location may be provided.

#### Multiple profiles and collaborative filtering

25 Networked profiles of multiple users of various services allow the system to compute and present recommendations that benefit from the tastes and past experiences of other users with overlapping interests. For example, the system may combine records of multiple viewers and reach the conclusion that many viewers who watch "Seinfeld" episodes also watch episodes of "Curb Your Enthusiasm". The system can present this information to users who watch

“Seinfeld” in various ways, including providing a message, or moving “Curb Your Enthusiasm” at least tentatively onto a preferred or favorites list in their handheld guide. This is known in the online industry as “collaborative filtering”, and is used widely on line by Amazon and other retailers, for example.

5           Tuning broadcast signals such as UHF/VHF, satellite TV, cable TV, and AM/FM radio

10           The handheld device contains continuously operating internal clock software, including date information. It obtains program schedule information from the data network connection and stores this data into its local memory. Program schedule information for each program includes a program name or other identifier, tuning channel, and explicit or implicit date, start time, end time, and may include other data about the program such as an episode summary or performers’ names, information about the program’s distributors such as network call letters, and information that the user might find relevant in making program choices. The memory of the handheld device stores a table or equivalent data structure indicating a correspondence of currently scheduled programs and channel numbers or tuning frequencies along with the other information.

15           Using its computing and memory components, the handheld device compares the current value of its calendar and clock to the day, start time and end time of stored program items. If these indicate a program playing now or starting in some sufficiently small number of minutes, the corresponding program schedule choices are made available as user choices and may be displayed on the handheld screen schedule accordingly.

20           The time extent of program schedule information stored in the handheld device can vary. In a unit with always-on or inexpensive, responsive on-demand wireless network connectivity, little or no future program schedule information need be stored in advance. In units with temporary network connections, a full future week or more of schedule information may be stored in a single sync operation. The user may also specify the extent of program schedule to  
25           store or the amount of memory to allocate for the program schedule(s). The user’s past and recent behavior can also be used to determine how much program schedule information to store in the handheld device. For example, a handheld whose user performs a HotSync through a networked



personal computer every day need retrieve and store only one or two days of schedule information.

Playing read-only media such as CD and DVD

Unlike broadcast programs, the directories for active personal read-only collections such as CDs and DVDs change when a user buys, inserts, moves, or removes a read-only content disc from a player device. Users with collections in large carousel and jukebox player devices may particularly benefit, since once inserted a disc need rarely be moved. The list of songs inherent in a particular disk are fixed, but the users playing habits may result in a highly personalized ranking of favorite tracks, discs, and sequences.

The core information for adding a music CD – the name of the CD and the artist – can be collected or entered in a variety of ways to update the system's representation of a user's collection. Purchasing or adding a disc to a personal collection database may involve reviewing menus of choices by artist, genre, title, or other category. If a CD is purchased through transaction using our system - through the handheld device, a PC, Internet browser or other networked client device – the recording, song list, and other information can be gathered automatically from online sources such as Cddb, the Internet CD database in the course of the transaction. Alternatively, the user may select from a menu or type a partial name and enjoy text completion relative to the entries music database, or enter the full CD name. The user may also indicate which slot a disk has been placed in a multi-CD player, or may be asked by the system to use a particular one such as the next consecutive empty one.

With an active online connection, the user has access to hundreds of thousands of CD choices for menu presentation and/or automatic text completion. Text may be entered on handheld device such as a PDA using the native text entry methods for the handheld device.

If a user removes a CD from a player, its profile may remain in the user's collection representation indefinitely or until the user explicitly deletes it; this simplifies data recall when the same CD is re-inserted into the same player or into another device controlled by this user. Depending on memory and network considerations, the title information or detailed information

may remain on the handheld device, a PC, or on the network. Titles for likely purchases, such as recordings by a favorite artist, may be cached on the handheld to save the user a network connection or a trip to the docking station.

Players with network connectivity or 2-way wireless connectivity and ability to read digital codes that uniquely identify a disk or recorded program may be used to limit or eliminate the need for user entry of the CD name.

Some multi-disc players support display of the name of a disc or song title, through some effort entering the data manually with the player's remote control. This step be automated when the invention in effect knows which disks are in which slots. The invention can send appropriate remote control codes to the player to label hundreds of CDs or DVDs so the display shows an accurate title instead of just "Disk 23".

Recording and playing local read/write media such as DVR programs, MP3 music, and VCRs

Recordable media devices such as DVR digital video recorders (including TiVo and Replay TV products) combine elements of broadcast media tuning to initiate or schedule a recording, and read only media playback, described above. Due to the storage capability of the DVR, recording and viewing can be accomplished as separate activities. Moreover, due to the DVR's capability to schedule future recordings, the user can be presented with a more extensive guide showing upcoming programs days or weeks in advance. This larger guide can still be customized to offer priority to program choices that fit the user's profile. For playback, stored media programs can be offered in directories similar to those used for currently scheduled broadcast programs, but without playback time constraints. Program information from recorded programs originating from broadcast sources may be stored on the Handheld Device and/or Server System so, unlike read-only discs, the user need not enter any program information manually.

Similarly, VCRs (video cassette recorders) can be controlled by the invention, to enable and control live recording, scheduled future recording, and playback. The Handheld Device may

send codes to set the clock on the VCR, tune channels, and send codes for built-in programmed recording features on the VCR that let it record a program at a future time.

When used to play a stored media program, the hardware buttons, or a set of soft buttons, may be re-mapped to provide transport control and other capabilities. For example, six hardware buttons may be mapped onto the common transport controls Play, Pause (or Toggle Pause/Play state), Stop, Rewind, Fast Forward, and Record. Other digital recorder controls such as Skip or Instant Replay may also be accessed.

The initial setup and ongoing use are somewhat different for each home or system configuration.. Some VCRs provide a special 'cable mouse' that lets the programmed VCR send IR to the cable or satellite set-top box at the right time. Users of TiVo, Replay TV or UltimateTV disk-based recorders won't be asked to insert a tape.

Likewise, program directories and media itself may originate from the Internet, as is currently commonplace with MP3 music programs traded through services such as Napster. The current invention may control personal computer, specialized device, or other player enabled for wireless or networked control, allowing access to online media directories and media itself. Here again, personal preferences, advertisements, recommendations, and free or pay transaction opportunities are supported in a similar manner and with similar interfaces to broadcast and recorded media scenarios described thus far.

#### Playing streamed media such as music or video on demand

When sufficient bandwidth and infrastructure are available, users may access media that is not locally stored through an Internet connection, networked computer, set-top box, or other device. Similar interfaces for personalized directories, preferences, transactions, and media control can be applied to support such media as may be streamed or cached in a PC, handheld device, or elsewhere in the server system.

### Telephone Directories and Communication

Telephone directories can be supported using the same core interfaces that support browsing media directories, in handheld devices supporting telephony, such as cellular telephones, phone-enabled PDAs, and systems of devices such as a linked pair of cellular telephone and PDA. Interface details such as **select** buttons and recent favorites, **dismiss** buttons and least favorite lists can be managed using interfaces consistent with the user's media browsing experiences. In the telephone directory device, pressing the **select** button initiates a telephone call. The consistent interfaces drastically simplify learning and daily use of the interface, preference, and customization schemes.

### Media Sharing

Users of more than one handheld devices with sustainable wireless network connectivity can communicate with each other, as well as with media playing devices. Users with access to the same media can agree to share the choices and experiences simultaneously by transferring compact content identifiers from the directories, rather than media samples, from one location to the other. For example, two users on the phone can be 'disc jockeys' queuing up CD songs on onto a shared list, using software that synchronizes the lists to play at the same time, or can watch the same program.

Users must grant permissions to allow another user to control their media devices. Program content identifiers are transmitted, typically over one or more wireless connections, from the handheld device through the other user's handheld controller, PC, set-top box, or other media control unit, to the receiving devices.

The system can compute overlap between the users' collections, services, and other entertainment directories, and other aspects of the users' profiles. Non-interruptive interfaces for handheld media browsing described above can facilitate considerate media sharing among users, so they can review choices before changing channels or CDs. A user can review a description of a program on the handheld before attempting to control the other device. With a sufficiently low-latency communications channel, users can jointly browse their directory display using very

little bandwidth, or directly surf each others' channels and collections. Common interfaces for telephone call placement and media control on the same device can facilitate talking while sharing media and collaborating in media choices. Some of these activities can occur whether or not the users are engaged in telephone conversations.

5

### Scenarios

#### **Connected TV: Scenario**

Sitting back to relax at 7 after dinner, Jack's son asks "Anything on right now?" and flips on the living room TV. A loud advertisement fills most of the TV Guide channel, while slowly scrolling program info peeks out at the bottom. At this rate, by the time they've seen the 7PM choices they'll have missed the beginning of everything. Normal.

Then Jack remembers, this afternoon a friend emailed him some free trial Palm software and a note: "Try this with your family tonight. It may not change your life, but I bet it'll change your living room."

Jack pulls out his Palm and tries ConnectedTV. It lets him select his cable company from a small menu of cable and satellite services. Suddenly he sees listings of dozens of TV programs available to right now. He zips through them all in seconds with the scroll buttons. Ignoring channel numbers, Jack finds he can view current and upcoming programs by category, alphabetically, or in any other order.

Reading a one-line instruction, Jack points his handheld at his cable TV box, taps the name of a promising show, and is instantly tuned to the correct channel.

Next Jack taps a menu labeled Connected VCR. The first screen simply asks:

"Is your VCR flashing 12:00?"

With amused embarrassment, Jack taps the Yes button. The VCR's been flashing ever since his son moved it to another room one evening, a year ago. The handheld unit now asks:

"What brand and model of VCR?"

Jack enters S and O, and Connected VCR completes it: SONY. He chooses the model from a menu.

"Please point your handheld's infrared window directly at your VCR for a few moments."

5 Jack obliges, and suddenly the TV is blue and flashing through a barely familiar menu screen. Seconds later the handheld asks:

"Is your VCR now set to the correct date and time?"

Jack looks up and taps Yes again. His son stops and looks. "Way to go, Dad. First time that clock's been right since last century." Connected VCR has one more question:

10 "What's your favorite TV program?"

Jack repeats the question to his son. The quick reply: "Simpsons!" By the time Jack has entered "S, I, M, ..." he's looking at a highlighted item in a list of episodes of the Simpsons being shown this week. He taps one.

"The Simpsons is showing tomorrow afternoon.

15 Tap Yes to record this program.

And then:

Don't forget to put in a recordable tape!"

If Jack enables the Remind feature, the following morning his handheld will beep, then:

"Your VCR is set to record The Simpsons today. Don't forget to put in a tape!"

20 Later that week, Jack is really enjoying ConnectedTV. Now he rarely scrolls through long lists of choices; it's as if the service knows what programs he enjoys and always keeps them

near the top of the list. For instance, at 7PM *Seinfeld* and *Law & Order* are at the top, because he watched them both earlier in the week. Other short list items include programs he's lingered on in the past, and movies from his favorite genres that are about to start. When Jack notices a show that doesn't belong on his short list, he taps a "Not Helpful" icon and the program disappears, usually replaced by something he likes better. His current short list is ideal at 7PM, since he can easily alternate between *Seinfeld* and *Law & Order* until he knows which is showing an episode he's missed, or wants to see again. Jay can even check in advance by clicking to read a title or 1-sentence summary of the episode. These summaries don't fill up his Palm device's memory because details are stored only of programs that fit Jack personal entertainment habits and preferences.

Connected TV is for 7+ million current handheld owners with TVs, and 50+ million TV consumers who will buy handhelds in the next few years. In hundreds of millions of homes worldwide, paper and on-screen TV guides have grown unwieldy with choices, while VCRs are so difficult to operate they are usually used for playback only. Connected TV lets viewers easily review what's on now and instantly tune a program, or schedule programs to record on their VCR. It provides a personalized handheld version of the interactive program guide you might expect in an advanced satellite system – but without requiring expensive new hardware or service, and without displacing or shrinking anything on the TV screen.

#### Connected Music Scenarios

Jay receives two CDs in the mail that he ordered a few days earlier. He inserts the new CDs into two empty slots in his multi-CD player.

A year ago, Jay would have to choose: either spend minutes entering the name of each new CD using digit keys on the player's remote control; or refer to the new CDs as "Disc 17" and "Disc 18" and try to recall their locations, perhaps jotting down the names and slot numbers. Today instead he pulls his Palm device out of his pocket, launches Connected Music, taps on the name of the CD, and points the Palm at his CD player. Jay watches for a few seconds as the name of each CD grows on the player's display, faster and more accurately he would ever enter it

with the remote. He taps again and sees the names of the songs on the CD in a list – something even a fancier CD player’s display wouldn’t show. Jay points his Palm at the CD player once more, taps to choose a song, and in a moment he’s hearing the hit he wants most.

This was even easier because Jay bought the CD using Connected Music. The day the  
5 CDs shipped, their names appeared in his handheld’s Connected Music application, waiting for him to tap them. If he had been given this CD, or bought it on the street, he would enter the CD name once, from his handheld or his PC. Intuitive text completion means Jay rarely has to enter the full name of an artist or CD. The complete CD, artist, and track information are filled in via the Internet.

\* \* \*

Connected Music subscriber Mark has just woken up from an unplanned nap. He doesn’t know what time it is. He sure doesn’t know what CDs are in his player right now. But he knows he wants to hear some Van Morrison.

He pulls his handheld computer out of his jacket and taps on Connected Music. A  
15 directory comes up showing the CDs in his player, letting him list every song. Bob enters “V, A, N” into the search field, and every song in his player written or performed by Van appears. If he scrolls down far enough he’ll also see a list of the other Van Morrison CDs on his shelf, listed in gray. But not right now. He points his handheld at his CD player and taps Moondance, and moments later he’s hearing it.

\* \* \*

Mark is using his handheld to browse his CD collection and choose a song. Before, the contents of his 200 CD player used to be hidden inside – but now they’re more accessible than ever. At the bottom of the handheld display, the name of a new Van release appears. Mark didn’t know the new concert recording was out! When he taps, the next screen offers key info  
25 about the CD, and lets him tap among a few options such as “Not Interested” or “Forward More



Info,” which would send a link with more details to Marc desktop email account. Since it’s a Van album, Mark taps “Add to Wish List”.

\* \* \*

Jay and Mark are both subscribers to the Connected Music service. Jay wants to get Mark some music for his upcoming birthday. Mark has given Jay and other buddies permission to view Mark’s current list of personal CDs on line. By tapping “Gift”, Jay can see Mark’s current collection, browse reviews of music that fits Mark’s taste in artists, and highlight items that are in Jay’s own collection but not in Mark’s yet. The gift decision is simplified when Jay notices the new Van recording in Mark’s Wish List. Jay taps in his PIN code, glad he claimed this particular Wish List item before Mark’s other buddies got to it. Before Jay confirms, he’s offered a one-time chance to get that new Van recording himself at a discount while buying the gift.

Conduit or wireless connection to the Internet CD database lets users review and select songs by name on the handheld, rather than by disk number/track number. The system gradually learns the user’s entire CD/DVD collection and lets users track CDs across players and locations if they choose.

A primary market for Connected Music is consumers with CD players and collections – especially units that hold multiple CDs – who are current handheld owners or new consumer handheld purchasers. Most consumers have many more CDs than their player can hold, but the many low cost, large capacity multi-CD players are unmanageable without a directory. Even the popular 5-CD models become difficult to manage when one must access a song as ‘CD 3, Track 11’. Connected Music lets users see every CD and song sorted by name, artist, length or other metadata, and choose instantly. The service is a no-brainer for handheld owners with players that hold 10 or more CDs.

While the foregoing has been with reference to a particular embodiment of the invention, it will be appreciated by those skilled in the art that changes in this embodiment may be made

without departing from the principles and spirit of the invention, the scope of which is defined by the appended claims.

4002743-430001